

ARES District 4 Net Script

December 07, 2017 rev 3 (net date)

Script Rev 07-03-2017

Good Evening everyone and welcome to the South Texas District 4 ARES net. This is

TOM (name) K5BV (call)

ARES EC for ARANSAS and SAN PATRICIO COUNTIES

(position e.g. member, AEC, etc. & County)

I will be the Net Control Station for tonight's net. First, if there are any stations with priority or emergency traffic please call

K5BV (call) at this time. UN-KEY

Either say "**nothing heard**" or handle the traffic immediately.

All hams in all Counties are welcome to check in to this net. You do not need to be an ARES member to participate in this net.

The purpose of ARES, the Amateur Radio Emergency Service, is to furnish emergency communications via amateur radio when regular means of communications fail or become inadequate during an emergency situation. ARES is sponsored by the ARRL, and supported by area radio clubs and individual hams. The only qualifications for ARES are that you possess an amateur radio license and you have a desire to help others. For more information or off-net questions please contact one of the following by email

Mark Dist. 4 EC - - - - - ad5ca@arrl.net
Tom EC for Aransas & San Patricio County - - - - - k5bv@arrl.net
Bob Asst EC for Aransas County - - - - - kf5cfu@arrl.net
Jim EC for Live Oak County - - - - - w5im@arrl.net
Harley EC for Kleberg County - - - - - kg5ayd@arrl.net

The Net is scheduled monthly for the First Thursday at 8 PM. This is subject to change. We are currently using the 146.820 repeater in Corpus Christi with a (-) MINUS offset and a 107.2 Hz tone.

This net is being conducted for the purpose of providing training and information related to emergency communications; to serve as a forum for discussion; and to foster fellowship among Amateur Radio operators.

Next, are there any operators who would like to make announcement or provide information related to EmComm? This is not general check-in. Please State your call now.

Tonight after Check-In **We will have a summary of Basic Communications skills.**

To Check-in if the frequency has been clear a second or two key the MIC and s-l-o-w-l-y give your FCC call sign using ITU phonetics spoken clearly and slowly and UNKEY. Stating your name as well will be appreciated. Writing calls down takes a moment so allow a couple of seconds. Keep checking in and calls will be reviewed for clarifications, errors and missed calls. Please check-in with **K5BV** (Call) now.

(note these actions)

- *read each call back,*
- *ask for corrections*
- *ask for additional check-ins*

We will ask for questions and comments after tonight Hurricane Harvey information.

(GO TO PAGE 4)

This is K5BV

Before we go down the list for comments if there any late check-ins please provide you call now.

(again note these actions)

- *read each call back,*
- *ask for corrections*

Net Control **K5BV** (*your call*) will now go down the list for comments.

- *go down list of check-ins*
- *now have presenter give their comments)*

Final call for check-ins. Additional stations for the net please check-in now with **K5BV** (*your call*).

(again note these actions)

- *read each call back,*
- *ask for corrections*
- *ask for comments*

THIS IS NET. We had XX check-ins tonight. Thank you all for joining the ARES net tonight, and thanks to the repeater owners and mountaineers for the use of these fine repeaters. I am now closing the net and returning these repeaters back to normal amateur radio use. Stations may remain on frequency to make additional QSOs.

Net Control **K5BV** (*your call*) Out.

FCC CALL

NAME

Date 12-07-2017

- 01 _____
- 02 _____
- 03 _____
- 04 _____
- 05 _____
- 06 _____
- 07 _____
- 08 _____
- 09 _____
- 10 _____
- 11 _____
- 12 _____
- 13 _____
- 14 _____
- 15 _____
- 16 _____
- 17 _____
- 18 _____
- 19 _____
- 20 _____
- 21 _____
- 22 _____
- 23 _____
- 24 _____
- 25 _____

_____ (ENTER NET CONTROL)

Basic Communication Skills

Tonight's material is from the Harris County ARES WEB Site. <http://harriscountyares.org/>

There are many topics and I would suggest using the site to improve knowledge. On the main page click Training to see an extensive list, literally hundreds of topics.

Knowledge Topic 103 is Basic Communications. I will mention a few topics from Basic Communications and hopefully listeners tonight will go to the WEB site and spend some time there.

Objective:

This lesson introduces communication skills that are specific to emcomm operations, and helps you understand differences from normal Amateur Radio operations.

Information:

An emergency communicator must do his part to get every message to its intended recipient, quickly, accurately, and with a minimum of fuss. A number of factors can affect your ability to do this, including your own operating skills, the communication method used, a variety of noise problems, the skills of the receiving party, the cooperation of others, and adequate resources. In this unit, we will discuss basic personal operating skills. Many of the other factors will be covered in later units.

Why Are Emergency Communication Techniques Different?

Life and death communications are not part of our daily experience. Most of what we say and do each day does not have the potential to severely impact the lives and property of hundreds or thousands of people. **In an emergency, any given message can have huge and often unintended consequences. An unclear message, one that is delayed or mis-delivered, or never delivered at all can have disastrous results.**

Listening

Listening is at least 50% of communication. Discipline yourself to focus on your job and "tune out" distractions. If your attention drifts at the wrong time, you could miss a critical message.

Listening also means avoiding unnecessary transmissions. A wise ham once said, "A ham has two ears and one mouth. Therefore he should listen twice as much as he talks." While you are asking, "when will the cots arrive?" for the fourth time that hour, someone else with a life and death emergency might be prevented from calling for help.

Sometimes the job of listening is complicated by noise. **You might be operating from a noisy location, the signal might be weak, or other stations may be causing interference.** In each of these cases, it helps to have **headphones to minimize local noise and help you concentrate on the radio signal.** Digital Signal Processing (DSP) and other technologies may also help to reduce radio noise and interference.

Microphone Techniques

Even something as simple as using your microphone correctly can make a big difference in intelligibility. For optimum performance, hold the mic close to your cheek, and just off to the side of your mouth. **Talk across, rather than into, the microphone. This will reduce breath noises and "popping" sounds that can mask your speech.**

Speak in a normal, clear, calm voice. Raising your voice or shouting can result in over-modulation and distortion, and will not increase volume at the receiving end. Speak at a normal pace as rushing your words can result in slurred and unintelligible speech. Pronounce words carefully, making sure to enunciate each syllable and sound.

Radios should be adjusted so that a normal voice within 2 inches of the mic element will produce full modulation. If your microphone gain is set so high that you can achieve full modulation with the mic in your lap, it will also pick up extraneous background noise that can mask or garble your voice. A noise-canceling microphone is a good choice since it blocks out nearly all unwanted background noise, and is available in handheld and headset boom mics. Headset boom microphones are becoming less expensive and more popular, but care should be taken to choose one with a cardioid or other noise canceling type element. Many low-cost headset boom mics have omni-directional elements, and will pick up extraneous noise.

"Voice operated transmission" (VOX) is not recommended for emergency communication. It is too easy for background noise and off-air operator comments to be accidentally transmitted, resulting in embarrassment or a disrupted net. Use a hand or foot switch instead.

When using a repeater, be sure to leave a little extra time between pressing the push-to-talk switch and speaking. A variety of delays can occur within a system, including CTCSS decode time, and transmitter rise time. Some repeaters also have a short "kerchunk" timer to prevent brief key-ups and noise from keying the transmitter. It also gives time for some handhelds to come out of the "power-saver" mode. Leaving extra time is also necessary on any system of linked repeaters, to allow time for all the links to begin transmitting. These techniques will ensure that your entire message is transmitted, avoiding time-wasting repeats for lost first words.

Lastly, pause a little longer than usual between transmissions any time there is a possibility that other stations may have emergency traffic to pass from time to time. A count of "one, one thousand" is usually sufficient.

Brevity & Clarity

Each communication should consist of only the information necessary to get the message across clearly and accurately. Extraneous information can distract the recipient and lead to misinterpretation and confusion. If you are the message's author and can leave a word out without changing the meaning of a message, leave it out. If the description of an item will not add to the understanding of the subject of the message, leave it out. Avoid using contractions within your messages. Words like "don't" and "isn't" are easily confused. If someone else has drafted the message, work with the author to make it more concise.

Make your transmissions sound crisp and professional, like the police and fire radio dispatchers and the air traffic controllers. Do not editorialize, or engage in chitchat. An emergency net is no place for "Hi Larry, long time no hear," "Hey, you know that rig you were telling me about last month&." or any other non-essential conversation.

Be sure to say exactly what you mean. Use specific words to ensure that your precise meaning is conveyed. Do not say, "that place we were talking about," when "Richards School" is what you mean. Using non-specific language can lead to misunderstandings and confusion.

Communicate one complete subject at a time. Mixing different subjects into one message can cause misunderstandings and confusion. If you are sending a list of additional food supplies needed, keep it separate from a message asking for more sand bags. Chances are that the two requests will have to be forwarded to different locations, and if combined one request will be lost.

Plain Language

As hams, we use a great deal of "jargon" (technical slang) and specialized terminology in our daily conversations. Most of us understand each other when we do, and if we do not on occasion it usually makes little difference. In an emergency, however, the results can be much different. **A misunderstood message could cost someone's life.**

Not everyone involved in an emergency communication situation will understand our slang and technical jargon. Even terms used by hams vary from one region to another, and non-hams will have no knowledge of most of our terminology. **Hams assisting from another region might understand certain jargon very differently from local hams.**

For these reasons, all messages and communications during an emergency should be in plain language. "Q" signals (except in CW communication), 10 codes, and similar jargon should be avoided. The one exception to this is the list of standard "pro-words" (often called "pro-signs") used in Amateur traffic nets, such as "clear," "say again all after" and so on. We will discuss some of these pro-words in detail below, and others later in this course.

Avoid words or phrases that carry strong emotions. Most emergency situations are emotionally charged already, and you do not need to add to the problem. For instance, instead of saying, "horrific damage and people torn to bits," you might say "significant physical damage and personal injuries."

Phonetics

Certain words in a message may not be immediately understood. This might be the case with an unusual place name, such as "Franconia" or an unusual last name, like "Smythe." The best way to be sure it is understood correctly is to spell it. The trouble is, if you just spell the word using letters, it might still be misunderstood, since many letters sound alike at the other end of a radio circuit. "Z" and "C" are two good examples. For that reason, radio communicators often use "phonetics." These are specific words that begin with the letter being sent. For instance, "ARRL" might be spoken as "alpha romeo romeo lima."

To reduce requests to repeat words, use phonetics anytime a word has an unusual or difficult spelling, or may be easily misunderstood. Do not spell common words unless the receiving station asks you to. In some cases, they may ask for the phonetic spelling of a common word to clear up confusion over what has been received. **Standard practice is to first say the word, say "I spell," then spell the word phonetically.** This lets the receiving station know you are about to spell the word he just heard.

Several different phonetic alphabets are in common use, but most hams and public safety agencies use the **ITU Phonetic Alphabet**, shown below, and others use military alphabets.

Many hams like to make up their own phonetics, especially as a memory aid for call signs, and often with humorous results. Unfortunately, this practice has no place in emergency communication. In poor conditions, unusual phonetic words might also be misunderstood. We need to be sure that what we say is always interpreted exactly as intended _ this is why most professional communicators use standardized phonetics.

ITU Phonetic Alphabet

| | | |
|--------------------------|---------------------------|---------------------------|
| A - alfa (AL-fa) | B - bravo (BRAH-voh) | C - charlie (CHAR-lee) |
| D - delta (DELL-tah) | E - echo (ECK-oh) | F - foxtrot (FOKS-trot) |
| G - golf (GOLF) | H - hotel (HOH-tell) | I - india (IN-dee-ah) |
| J - juliet (JU-lee-ett) | K - kilo (KEY-loh) | L - lima (LEE-mah) |
| M - mike (MIKE) | N - November (no-VEM-ber) | O - oscar (OSS-cah) |
| P - papa (PAH-PAH) | Q - quebec (kay-BECK) | R - romeo (ROW-me-oh) |
| S - sierra (SEE-air-rah) | T - tango (TANG-go) | U - uniform (YOU-ni-form) |
| V - victor (VIK-tor) | W - whiskey (WISS-key) | X - x-ray (ECKS-ray) |
| Y - yankee (YANG-key) | Z - zulu (ZOO-loo) | |

Numbers are somewhat easier to understand. Most can be made clearer by simply **"over-enunciating"** them as shown below.

Numbers

| | | | |
|-------------------|-------------------------------------|-------------------|-----------------|
| One: "Wun" | Two: "TOOO" | Three: "THUH-ree" | Four: "FOH-wer" |
| Five: "FY-I've" | Six: "Sicks" | Seven: "SEV-vin" | Eight: "Ate" |
| Nine: "NINE-er" | Zero: "ZEE-row" are examples | | |

Numbers are always pronounced individually. The number "60" is spoken as "six zero," not "sixty." The number "509" is spoken as "five zero nine," and not as "five hundred nine" or "five oh nine."

Pro-words

Pro-words, called "pro-signs" when sent in Morse Code, are procedural terms with specific meanings. They are used to save time and ensure that everyone understands precisely what is being said. Some pro-words are used in general communication, others while sending and receiving formal messages. We will discuss the general words here, and cover the formal message pro-words in a later unit.

| Voice EXAMPLES | Morse Code* | Meaning and function |
|--------------------------------------|----------------|---|
| Clear | SK | End of contact. In CW, SK is sent before final identification |
| Over | AR | Used to let a specific station know to respond |
| and more such as Go ahead | K | Used to indicate that any station may respond |
| Out | CL | Leaving the air, will not be listening |
| Stand by | AS | A temporary interruption of the contact |
| Roger | R | Indicates that a transmission has been received correctly and in full |

* Two letters are sent as one character Source: ARES Field Manual

Tactical Call Signs

Tactical call signs can identify the station's location or its purpose during an event, regardless of who is operating the station. This is an important concept. The tactical call sign allows you to contact a station without knowing the FCC call sign of the operator. It virtually eliminates confusion at shift changes or at stations with multiple operators.

Tactical call signs should be used for all emergency nets and public service events if there are more than just a few participants.

The NCS may assign the tactical call sign as each location is "opened." Tactical call signs will usually provide some information about the location or its purpose. It is often helpful if the tactical call signs have a meaning that matches the way in which the served agency identifies the location or function. Some examples are:

- "Net" for net control
- "Springfield EOC" for the city's Emergency Operations Center

- "Firebase 1" for the first fire base established, or a primary fire base
- "Checkpoint 1" for the first check point in a public service event
- "Canyon Shelter" for the Red Cross shelter at Canyon School
- "Repair 1" for the roving repair vehicle at a bike-a-thon
- "Mercy" for Mercy Hospital

Calling with Tactical Call Signs

If you are at "Aid 3" during a directed net and want to contact the net control station, you would say "Net, Aid 3" or, in crisper nets (and where the NCS is paying close attention), simply "Aid 3." If you had emergency traffic, you would say "Aid 3, emergency traffic," or for priority traffic "Aid 3, priority traffic."

Notice how you have quickly conveyed all the information necessary, and have not used any extra words.

If you have traffic for a specific location, such as Firebase 5, you would say "Aid 3, priority traffic for Firebase 5." This tells the NCS everything needed to correctly direct the message. If there is no other traffic holding, the NCS will then call Firebase 5 with, "Firebase 5, call Aid 3 for priority traffic."

Note that no FCC call signs have been used so far. None are necessary when you are calling another station.

Station Identification

In addition to satisfying the FCC's rules, proper station identification is essential to promoting the efficient operation of a net. The FCC requires that you identify at ten-minute intervals during a conversation and at the end of your last transmission. During periods of heavy activity in tactical nets it is easy to forget when you last identified, but if you identify at the end of each transmission, you will waste valuable time. What to do?

The easiest way to be sure you fulfill FCC station identification requirements during a net is to give your FCC call sign as you complete each exchange. Most exchanges will be far shorter than ten minutes. This serves two important functions:

- 1) It tells the NCS that you consider the exchange complete (and saves time and extra words)
- 2) It fulfills all FCC identification requirements.

Completing a call

After the message has been sent, you would complete the call from Aid 3 by saying "Aid 3, <your call sign>." This fulfills your station identification requirements and tells the NCS that you believe the exchange to be complete.

If the Net Control Station believes the exchange is complete, and Aid 3 had forgotten to identify, then the NCS should say, " Aid 3, do you have further traffic?" At that point, Aid 3 should either continue with the traffic, or "clear" by identifying as above.

A Review of Habits to Avoid

- **Thinking aloud on the air: "Ahhh, let me see. Hmm. Well, you know, if"**
- **On-air arguments or criticism**
- **Rambling commentaries**
- **Shouting into your microphone**
- **"Cute" phonetics**
- **Identifying every time you key or un-key the mic**
- **Using "10" codes, Q-signals on phone, or anything other than "plain language"**
- **Speaking without planning your message in advance**
- **Talking just to pass the time.**

Reference links:

- For information about ARRL see The Public Service Communications Manual on-line.
- For specific information on ARES, see the ARRL ARES Field Resources Manual on-line.